


PAS 670:2021

Magnesium oxide-based boards for use in buildings – Specification



**Magnesium Oxide
Building Board
Trading Association**

bsi.

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2021.

Published by BSI Standards Limited 2021.

ISBN 978 0 539 14107 8

ICS 71.060.20; 77.150.20

No copying without BSI permission except as permitted by copyright law.

Publication history

First published August 2021

Contents

Foreword	ii
Introduction.....	iv
1 Scope	1
2 Normative references	1
3 Terms, definitions and abbreviated terms	1
3.1 Terms and definitions	1
3.2 Abbreviated terms	1
4 Identification	2
5 Initial type testing	2
6 Classification	2
7 Dimensions and tolerances	2
8 Physical requirements and characteristics	2
9 Durability	3
10 Release of dangerous substances	3
11 Moisture movement	3
12 Reaction to fire	3
13 Performance in a humid environment	3
13.1 Requirement.....	3
13.2 Method	3
14 Verification of quality management system (QMS), factory production control (FPC) and consignment inspection	4
15 Product traceability	4
16 Installation instructions	4

Foreword

This PAS was sponsored by the Magnesium Oxide Building Board Trade Association (MOBBTA). Its development was facilitated by BSI Standards Limited and it was published under licence from The British Standards Institution. It came into effect on 31 August 2021.

Acknowledgement is given to Nick Corson, as the technical author, and the following organizations that were involved in the development of this PAS as members of the steering group:

- Adrastea Limited
- Bangor University
- British Board of Agrement (BBA)
- Building Research Establishment (BRE)
- Evolusion Innovation Ltd
- Istdama Ltd
- Kiwa Building Products
- Lucideon Limited
- MD Insurance Services Limited
- Magnesium Oxide Building Board Trade Association (MOBBTA)
- National Housing Building Council (NHBC)
- Queen's University Belfast
- Structural Timber Association

Acknowledgement is also given to the members of a wider review panel who were consulted in the development of this PAS.

The British Standards Institution retains ownership and copyright of this PAS. BSI Standards Limited as the publisher of the PAS reserves the right to withdraw or amend this PAS on receipt of authoritative advice that it is appropriate to do so. This PAS will be reviewed at intervals not exceeding two years.

This PAS is not to be regarded as a British Standard. It will be withdrawn upon publication of its content in, or as, a British Standard.

The PAS process enables a specification to be rapidly developed in order to fulfil an immediate need in industry. A PAS can be considered for further development as a British Standard or constitute part of the UK input into the development of a European or International Standard.

Information about this document

Product certification/inspection/testing. Users of this PAS are advised to consider the desirability of third-party certification of product conformity to this PAS.

Users seeking assistance in identifying appropriate conformity assessment bodies or schemes may ask BSI to forward their enquiries to the relevant association.

Copyright is claimed on the cover image. Copyright holders are Euroform Products Ltd, Unit 2, Lyncastle Road, Warrington WA4 4SN.

This publication can be withdrawn, revised, partially superseded, or replaced. Information regarding the status of this publication can be found in the Standards Catalogue on the BSI website at bsigroup.com/standards, or by contacting the Customer Services team.

Where websites and webpages have been cited, they are provided for ease of reference and are correct at the time of publication. The location of a webpage or website, or its contents, cannot be guaranteed.

Use of this document

It has been assumed in the preparation of this PAS that the execution of its provisions will be entrusted to appropriately qualified and experienced people, for whose use it has been produced.

Presentational conventions

The provisions of this PAS are presented in roman (i.e. upright) type. Its requirements are expressed in sentences in which the principal auxiliary verb is "shall".

Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.

Where words have alternative spellings, the preferred spelling of the Shorter Oxford English Dictionary is used (e.g. “organization” rather than “organisation”).

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient’s own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

Compliance with a Publicly Available Specification cannot confer immunity from legal obligations.

Introduction

Magnesium oxide building boards are a generic group of building boards widely used in construction industries throughout the world. This PAS is applicable only to boards manufactured from magnesium oxychloride or magnesium oxysulfate. Combined, these two types of boards account for over 99% of magnesium oxide boards used in the UK. Other formulations of boards are **not** covered by this PAS.

Magnesium oxide boards have been used in construction for over twenty years. Typically, they are used as a component in a building. They are generally selected for their strength to weight ratio, structural strength, performance when exposed to fire and workability.

However, concerns have been reported, most notably in Denmark in 2015, and also in Australia, where a reaction between boards and water vapour in the air (humidity) led to rapid degradation of the boards which also damaged adjacent components of the building(s).

This served to highlight that no common standard existed for the selection, testing and verification of the consistency of boards.

This PAS provides consensus-based best practice on how to select, test and verify the performance of magnesium oxide boards for use in construction. This is achieved using appropriate pre-existing standards for strength and durability testing, reaction to fire, testing requirements specific to the performance of these boards in a humid environment, and governance of the manufacturing, supply chains and traceability of boards.

Other standards for magnesium oxide boards are being developed by ASTM International¹⁾ and this work might inform a future revision of this PAS.

This PAS specifies the verification of the consistency of the manufacturing process and the testing of magnesium oxide-based boards for use in construction with reference to the following two standards:

- BS EN 12467:2012+A2, *Fibre-cement flat sheets – Product specification and test methods*, originally intended for fibre-cement flat sheets which have much in common with magnesium oxide boards, so much of the standard is highly relevant to these boards; and
- BS EN 13501-1, *Fire classification of construction products and building elements – Part 1: Classification using data from reaction to fire tests* – reaction to fire is a key attribute of magnesium oxide boards, so the fire classification requirements of this standard are referenced.

¹⁾ Details are available at <https://www.astm.org/COMMIT/SUBCOMMIT/E0621.htm>.

1 Scope

This PAS specifies requirements for flat sheet building boards manufactured using magnesium oxychloride or magnesium oxysulfate for the purpose of partitioning or internal and external lining of buildings, including the following characteristics:

- a) dimensions and tolerances (see Clause 7);
- b) physical requirements and characteristics (see Clause 8);
- c) durability (see Clause 9);
- d) release of dangerous substances (see Clause 10);
- e) moisture movement (see Clause 11);
- f) reaction to fire (see Clause 12);
- g) performance in a humid environment (see Clause 13);
- h) verification of quality management system (QMS), factory production control (FPC) and consignment inspection (see Clause 14); and
- i) product traceability (see Clause 15).

This PAS is intended for use by manufacturers, distributors and third-party verifiers, and sets out the requirements for how boards should be tested and verified as fit for purpose.

The PAS is not an installation guide.

The PAS is not applicable to the use of boards as flooring, sarking and roofing.

The PAS is not applicable to specific applications for which additional testing is required to demonstrate fitness for intended purpose, e.g. use of boards for racking resistance and as direct render substrates.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes provisions of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

BS EN 12467:2012+A2:2018, *Fibre-cement flat sheets – Product specification and test methods*

BS EN 13501-1, *Fire classification of construction products and building elements – Part 1: Classification using test data from reaction to fire tests*

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purpose of this PAS the following terms and definitions apply.

3.1.1 factory production control (FPC)

procedures in place to allow a manufacturer to maintain consistency in quality and to keep records of non-conforming products, processes or materials, in order to make improvements

3.1.2 quality management system (QMS)

system which implements the manufacturer/distributor's policies and objectives into the processes that help maintain and improve a standard of quality

3.2 Abbreviated terms

For the purposes of this PAS, the following abbreviated terms apply.

MoE Modulus of elasticity measured in megapascals

MoR Modulus of rupture measured in megapascals