

MM24

Molecular Methods for Genotyping and Strain Typing of Infectious Organisms

This guideline examines the biology behind molecular strain typing and genotyping, as well as characterization and validation of these systems. It also provides recommendations regarding criteria to be considered for design, validation, and determination of clinical utility of such testing.

A guideline for global application developed through the Clinical and Laboratory Standards Institute consensus process.

Clinical and Laboratory Standards Institute

Setting the standard for quality in medical laboratory testing around the world.

The Clinical and Laboratory Standards Institute (CLSI) is a not-for-profit membership organization that brings together the varied perspectives and expertise of the worldwide laboratory community for the advancement of a common cause: to foster excellence in laboratory medicine by developing and implementing medical laboratory standards and guidelines that help laboratories fulfill their responsibilities with efficiency, effectiveness, and global applicability.

Consensus Process

Consensus—the substantial agreement by materially affected, competent, and interested parties—is core to the development of all CLSI documents. It does not always connote unanimous agreement but does mean that the participants in the development of a consensus document have considered and resolved all relevant objections and accept the resulting agreement.

Commenting on Documents

CLSI documents undergo periodic evaluation and modification to keep pace with advances in technologies, procedures, methods, and protocols affecting the laboratory or health care.

CLSI's consensus process depends on experts who volunteer to serve as contributing authors and/or as participants in the reviewing and commenting process. At the end of each comment period, the committee that developed the document is obligated to review all comments, respond in writing to all substantive comments, and revise the draft document as appropriate.

Comments on published CLSI documents are equally essential and may be submitted by anyone, at any time, on any document. All comments are managed according to the consensus process by a committee of experts.

Appeal Process

When it is believed that an objection has not been adequately considered and responded to, the process for appeal, documented in the CLSI *Standards Development Policies and Processes*, is followed.

All comments and responses submitted on draft and published documents are retained on file at CLSI and are available upon request.

Get Involved—Volunteer!

Do you use CLSI documents in your workplace? Do you see room for improvement? Would you like to get involved in the revision process? Or maybe you see a need to develop a new document for an emerging technology? CLSI wants to hear from you. We are always looking for volunteers. By donating your time and talents to improve the standards that affect your own work, you will play an active role in improving public health across the globe.

For additional information on committee participation or to submit comments, contact CLSI.

Clinical and Laboratory Standards Institute

P: +1.610.688.0100

F: +1.610.688.0700

www.clsi.org

standard@clsi.org

Molecular Methods for Genotyping and Strain Typing of Infectious Organisms

Ted E. Schutzbank, PhD, D(ABMM)
Sherry A. Dunbar, PhD, MBA
Tabetha Sundin, PhD
Kimberly M. Anderson, PhD
Esther Babady, PhD, D(ABMM)
George Broukhanski, PhD
Sanchita Das, MD, D(ABMM)

David L. Dolinger, PhD
Peera Hemarajata, MD, PhD, D(ABMM),
PHM, CLS, M(ASCP)^{CM}
Awdhesh Kalia, PhD, MB(ASCP)^{CM}, FACSc
Dylan Pillai, MD, PhD, FRCPC
Astrid Schroeder, PhD

Abstract

Molecular genotyping and strain typing are essential tools for the analysis of infectious etiological agents of human diseases isolated during investigations of epidemiological outbreaks, laboratory contamination, and recurrent infection. A wide variety of genotyping and strain typing methods have been described using contemporary nucleic acid–based technologies. These methods are used for identifying virulence factors, drug resistance, markers of disease progression within an institution or a community, and in certain cases, patient prognosis. Clinical and Laboratory Standards Institute guideline MM24—*Molecular Methods for Genotyping and Strain Typing of Infectious Organisms* examines the biology behind molecular genotyping and strain typing and the process of characterizing and validating typing systems. The prevalent methods currently being used in laboratories that perform genotyping and strain typing include nucleic acid amplification tests, ribotyping, sequence-based typing (Sanger and next-generation sequencing), hybridization-based typing methods (microarrays, line-probe arrays), molecular fingerprinting (pulse-field gel electrophoresis, restriction fragment-length polymorphism analysis, multiple locus variable–number of tandem repeat analysis), and protein-based typing. Each of these areas is described in detail specific to the genotyping and strain typing of nucleic acid in clinical testing and monitoring, particularly in bacterial, fungal, and viral diseases. This guideline also includes an update on technologies used for molecular genotyping and strain typing, sample preparation, standards, calibrators, reference materials, analytical and clinical verification/validation, reporting and interpreting results, and clinical utility.

Clinical and Laboratory Standards Institute (CLSI). *Molecular Methods for Genotyping and Strain Typing of Infectious Organisms*. 1st ed. CLSI guideline MM24 (ISBN 978-1-68440-126-0 [Print]; ISBN 978-1-68440-127-7 [Electronic]). Clinical and Laboratory Standards Institute, USA, 2021.

The Clinical and Laboratory Standards Institute consensus process, which is the mechanism for moving a document through two or more levels of review by the health care community, is an ongoing process. Users should expect revised editions of any given document. Because rapid changes in technology may affect the procedures, methods, and protocols in a standard or guideline, users should replace outdated editions with the current editions of CLSI documents. Current editions are listed in the CLSI catalog and posted on our website at www.clsi.org.

If you or your organization is not a member and would like to become one, or to request a copy of the catalog, contact us at:

P: +1.610.688.0100 **F:** +1.610.688.0700 **E:** customerservice@clsi.org **W:** www.clsi.org

Copyright ©2021 Clinical and Laboratory Standards Institute. Except as stated below, any reproduction of content from a CLSI copyrighted standard, guideline, derivative product, or other material requires express written consent from CLSI. All rights reserved. Interested parties may send permission requests to permissions@clsi.org.

CLSI hereby grants permission to each individual member or purchaser to make a single reproduction of this publication for use in its laboratory procedures manual at a single site. To request permission to use this publication in any other manner, e-mail permissions@clsi.org.

Suggested Citation

CLSI. *Molecular Methods for Genotyping and Strain Typing of Infectious Organisms*. 1st ed. CLSI guideline MM24. Clinical and Laboratory Standards Institute; 2021.

Previous Editions:

MM10 (withdrawn): March 2005, February 2006

MM11: May 2006, April 2016 (reaffirmed), January 2017 (archived)

MM24-Ed1

ISBN 978-1-68440-126-0 (Print)

ISBN 978-1-68440-127-7 (Electronic)

ISSN 1558-6502 (Print)

ISSN 2162-2914 (Electronic)

Volume 41, Number 19

.....

Committee Membership

Consensus Council

James R. Petisce, PhD
Chairholder
BD Diagnostic Systems
USA

Avis Danishefsky, PhD
 FDA Center for Devices and
 Radiological Health
 USA

M. Laura Parnas, PhD, DABCC
 Roche Diagnostics
 USA

Tania Motschman, MS, MT(ASCP)SBB
Vice-Chairholder
USA

Collette Fitzgerald, PhD
 Centers for Disease Control and
 Prevention
 USA

Victoria Petrides, MS
 Abbott
 USA

Deirdre Astin, MS, MT(ASCP)
 USA

Michelle McLean, MS, MT(ASCP), BS
 Greiner Bio-One, Inc.
 USA

Matthew A. Wikler, MD, FIDSA, MBA
 IDTD Consulting
 USA

Anne T. Daley, MS, MT(ASCP)DLM,
 CMQ/OE(ASQ)CSBB
 USA

James H. Nichols, PhD, DABCC, FAACC
 Vanderbilt University School of
 Medicine
 USA

Document Development Committee on Molecular Methods for Genotyping and Strain Typing of Infectious Organisms

Ted E. Schutzbank, PhD, D(ABMM)
Chairholder
Agena Bioscience
USA

Kimberly M. Anderson, PhD
 FDA Center for Devices and
 Radiological Health
 USA

Peera Hemarajata, MD, PhD, D(ABMM),
 PHM, CLS, M(ASCP)^{CM}
 Los Angeles County Public Health
 Laboratories
 USA

Sherry A. Dunbar, PhD, MBA
Vice-Chairholder
Luminex Corporation
USA

Esther Babady, PhD, D(ABMM)
 Memorial Sloan Kettering Cancer
 Center
 USA

Dylan Pillai, MD, PhD, FRCPC
 University of Calgary
 Canada

Tabetha Sundin, PhD
Committee Secretary
Sentara Norfolk General Hospital
USA

George Broukhanski, PhD
 Public Health Ontario Laboratories
 Canada

Astrid Schroeder, PhD
 ChromaCode, Inc.
 USA

Sanchita Das, MD, D(ABMM)
 National Institutes of Health,
 Department of Laboratory Medicine
 USA

Expert Panel on Molecular Diagnostics

Ted E. Schutzbank, PhD, D(ABMM)
Chairholder
Agena Bioscience
USA

Peera Hemarajata, MD, PhD,
D(ABMM), PHM, CLS, M(ASCP)^{CM}
Los Angeles County Public Health
Laboratories
USA

Yi-Wei Tang, MD, PhD
Cepheid
China

Sherry A. Dunbar, PhD, MBA
Vice-Chairholder
Luminex Corporation
USA

Julie Woolworth Hirschhorn, PhD,
TS(ABB)
Medical University of South Carolina
USA

Zivana Tezak, PhD
FDA Center for Devices and
Radiological Health
USA

Bin Chen, PhD, FACMG
Centers for Disease Control and
Prevention
USA

Cynthia L. Jackson, PhD
Rhode Island Hospital
USA

Nadeem A. Tusneem, MA
Q² Solutions | EA Genomics
USA

Sanchita Das, MD, D(ABMM)
National Institutes of Health,
Department of Laboratory Medicine
USA

Ryan F. Relich, PhD, D(ABMM),
MLS(ASCP)^{CM}SM^{CM}
Indiana University Health and Indiana
School of Medicine
USA

Shalini Verma, MD
Siemens Healthcare Diagnostics Inc.
USA

Staff

Clinical and Laboratory Standards
Institute
USA

Emily J. Gomez, MS,
MLS(ASCP)^{CM}MB^{CM}
Project Manager

Kristy L. Leirer, MS
Editor

Katharine I. Castagna, MS, MT(ASCP)
CT, MB
Project Manager

Catherine E.M. Jenkins, ELS
Editor

Laura Martin
Editor

Acknowledgment

CLSI, the Consensus Council, and the Document Development Committee on Molecular Methods for Genotyping and Strain Typing of Infectious Organisms gratefully acknowledge the following volunteers for their important contributions to the revision of this guideline:

David L. Dolinger, PhD
QuantuMDx Group Ltd
United Kingdom

Awdhesh Kalia, PhD, MB(ASCP)^{CM}, FACSc
The University of Texas MD Anderson Cancer Center
USA

Contents

Abstract	i
Committee Membership	iii
Foreword	vii
Chapter 1: Introduction	1
1.1 Scope	2
1.2 Background	2
1.3 Standard Precautions	9
1.4 Terminology	10
Chapter 2: Path of Workflow	25
2.1 Process Flow Chart	26
2.2 Specimen Collection and Handling	27
Chapter 3: Genotyping and Molecular Strain Typing Methods	29
3.1 Nucleic-Acid Amplification Test–based Typing	30
3.2 Sequencing-based Typing	41
3.3 Hybridization-based Typing	48
3.4 Molecular Fingerprinting Techniques	53
3.5 Protein-based Typing (Matrix-Assisted Laser Desorption/Ionization Time-of-Flight Mass Spectrometry)	60
Chapter 4: Standards, Controls, and Reference Materials	65
4.1 Standards	66
4.2 Controls	68
Chapter 5: Validation and Verification	73
5.1 Validation	74
5.2 Verification	75
Chapter 6: Interpreting and Reporting Data	85
6.1 Clinical and Epidemiological Applications	86
6.2 Genotyping and Strain Typing Bioinformatics	90

Contents (Continued)

Chapter 7: Quality System Essentials	95
7.1 Organization and Leadership	96
7.2 Customer Focus	96
7.3 Facilities and Safety Management	97
7.4 Personnel Management	98
7.5 Supplier and Inventory Management	98
7.6 Equipment Management	98
7.7 Process Management.....	99
7.8 Documents and Records Management	100
7.9 Information Management	101
7.10 Nonconforming Event Management	101
7.11 Assessments	102
7.12 Continual Improvement.....	102
Chapter 8: Conclusion	103
Chapter 9: Supplemental Information	105
References	106
Additional Resources	132
Appendix A. Form for Triaging and Submitting Referral Specimens for Genotyping and Strain Typing	133
Appendix B. Strain Typing and Genotyping Methods.....	134
Appendix C. Sample Bacterial Strain Typing Report	144
Appendix D. Commonly Used Software and Web-based Platforms to Perform Bacterial and Virus Genotyping Using High-Throughput DNA Sequencing Data.....	147
The Quality Management System Approach	162
Related CLSI Reference Materials	163

Foreword

When CLSI documents MM10 and MM11 were published in 2006 and 2007, respectively, nucleic acid testing methods used for genotyping and strain typing, although partially overlapping, were somewhat different in scope. As such, CLSI document MM10 (which has since been withdrawn from CLSI's library) described genotyping, whereas CLSI document MM11 focused on strain typing. In the intervening years, applications introduced for performing this testing have resulted in greater similarity between genotyping in the classical sense and strain identification. These genomic approaches have allowed a growing number of medical laboratories to perform this testing without differentiating between genotyping and strain identification. This guideline reflects the technological advances made in this field and encompasses genotyping, genomic identification, and strain identification of all types of infectious diseases agents.

Overview of Changes

This guideline replaces the previous edition of the approved guideline, MM11-A, published in 2007. MM24 also builds on topics introduced in CLSI document MM10, published in 2006, which has since been withdrawn from CLSI's library. Several changes were made in this edition, including:

- Adding a process flow chart showing the basic steps that are followed to perform genotypic and strain typing of infectious organisms
 - Each step in the process is mapped to the relevant section in this guideline.
- Providing detailed descriptions on how genotyping and strain typing are used in different settings, in particular, genotyping and strain typing in the clinical setting vs epidemiological applications of genotyping and strain typing of infectious organisms
- Updating information on the current technologies used for genotyping and strain typing
 - Discussion of technologies that are no longer used and/or have been replaced by newer methods has been eliminated.
- Providing detailed descriptions of the quality system essentials that are relevant for laboratories that perform genotyping and/or strain typing of infectious organisms
- Adding appendixes that provide example forms used in genotyping and strain typing, additional details on various technologies, and information on relevant software and Web-based applications

NOTE: The content of this guideline is supported by the CLSI consensus process and does not necessarily reflect the views of any single individual or organization.

KEY WORDS

5'-nuclease

Association studies

Bioinformatics

Genotyping

Linkage disequilibrium

Linkage mapping

Oligonucleotide ligation assay

Single-nucleotide
polymorphism

Strain typing

Whole genome sequencing

Uses of Illumina®, PacBio®, and SMRT® Link in this guideline are not endorsements on the part of CLSI.

This page is intentionally left blank.

Chapter 1

Introduction

This chapter includes:

- Guideline's scope and applicable exclusions
- Background information pertinent to the guideline's content
- Standard precautions information
- Terminology information, including:
 - Terms and definitions used in the guideline
 - Abbreviations and acronyms used in the guideline

Molecular Methods for Genotyping and Strain Typing of Infectious Organisms

1 Introduction

1.1 Scope

This guideline provides a framework for facilitating consistency in reporting genotypes and bacterial, viral, and fungal strain typing and will assist laboratories that perform these studies and the professionals applying the results. Its purpose is to present not only the technologies used but also the criteria to be considered for design, verification, validation, and determination of clinical utility of such testing. These technologies are now used in many different contexts, including:

- Clinical care settings
- Public health investigations, particularly of emerging infections
- Food and pharmaceutical industries
- Environmental analyses in the clinical setting
- Regulatory agencies

This guideline is intended for manufacturers or laboratories that develop assays, laboratories that perform assays, clinicians who use the results to diagnose or manage patients, and agencies that regulate their use. This guideline:

- Is not intended for use by research laboratories
- Is not intended to provide manufacturing guidelines
- Does not discuss the development of standard reference materials for QC use

It is recommended that this guideline be used in conjunction with CLSI documents MM03,¹ MM06,² MM09,³ MM12,⁴ MM13,⁵ MM14,⁶ MM17,⁷ MM18,⁸ and MM22.⁹

1.2 Background

The expanding use of molecular testing methods has enabled laboratories to characterize features of infectious agents that not only affect patient care and disease course but also allow epidemiologists to track organisms throughout the population. Genome analysis of some viruses, bacteria, and other organisms may identify variants, genes, and gene functions that have clinical effects such as patient prognosis, disease progression, and management of patient drug therapy. This information is also used epidemiologically and by regulatory agencies for surveillance, outbreak investigations, and population genetics.

Recent advances in the field of molecular diagnostic methods have enabled the expanded use of molecular genotyping and strain typing to better understand the genetics associated with pathogen gene functions and their relationship to virulence, attenuation, disease progression, and prognosis during infection, as well as drug resistance. The choice of assay format and technology platform continues to be dictated by the complexity of genetic information needed. This guideline provides recommendations for the development, verification, validation, and implementation of clinical molecular tests for genotyping or strain typing for laboratories and manufacturers. It was written during a period of prolific expansion of molecular techniques applicable to genotype and strain type testing and includes technologies in practical clinical use at the time of publication.