



Illuminating
ENGINEERING SOCIETY

RECOMMENDED PRACTICE:
ULTRAVIOLET GERMICIDAL
IRRADIATION (UVGI)
AN AMERICAN NATIONAL STANDARD



ANSI/IES RP-44-21

**RECOMMENDED PRACTICE:
ULTRAVIOLET GERMICIDAL IRRADIATION (UVGI)
AN AMERICAN NATIONAL STANDARD**

Publication of this document
has been approved by IES.
Suggestions for revisions
should be directed to IES.

**Prepared for IES
IES Photobiology Committee**



Copyright 2021 by the Illuminating Engineering Society.

Approved by the IES Standards Committee, March 22, 2021, as a Transaction of the Illuminating Engineering Society.

Approved July 1, 2021, as an American National Standard.

All rights reserved. No part of this publication may be reproduced in any form, in any electronic retrieval system or otherwise, without prior written permission of the IES.

Published by the Illuminating Engineering Society, 120 Wall Street, New York, New York 10005.

IES Standards are developed through committee consensus and produced by the IES Office in New York. Careful attention is given to style and accuracy. If any errors are noted in this document, please forward them to Brian Liebel, Director of Standards, at standards@ies.org or the above address for verification and correction. The IES welcomes and urges feedback and comments.

Printed in the United States of America.

ISBN# 978-0-87995-406-2

DISCLAIMER

IES publications are developed through the consensus standards development process approved by the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus on lighting recommendations. While the IES administers the process and establishes policies and procedures to promote fairness in the development of consensus, it makes no guaranty or warranty as to the accuracy or completeness of any information published herein.

The IES disclaims liability for any injury to persons or property or other damages of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of, or reliance on this document.

In issuing and making this document available, the IES is not undertaking to render professional or other services for or on behalf of any person or entity. Nor is the IES undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

The IES has no power, nor does it undertake, to police or enforce compliance with the contents of this document. Nor does the IES list, certify, test or inspect products, designs, or installations for compliance with this document. Any certification or statement of compliance with the requirements of this document shall not be attributable to the IES and is solely the responsibility of the certifier or maker of the statement.

AMERICAN NATIONAL STANDARD

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether that person has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation to any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised at any time. The procedures of the American National Standards Institute require that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of approval. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Prepared by IES Photobiology Committee.

GUV Task Group:

David H. Sliney, *Chair*

Members

R. S. Bergman S. Miller S. Wengraitis

IES Photobiology Committee:

David H. Sliney, *Chair*

Members

| | | | |
|----------------|--------------|---------------|---------------|
| R. S. Bergman | P. D. Forbes | S. L. Mintz | J. B. Sheehy |
| G. C. Brainard | A. Jackson | J. B. O'Hagan | R. L. Vincent |
| J. Bullough | T. L. Lyon | T. H. Popock | S. Wengraitis |
| J. C. Dowdy | S. Miller | D. Saputa | E. M. Yandek |

Advisory Members

| | | | |
|------------|---------------|------------|------------------|
| S. Ahmad | A. L. Lewis | P. Sharma | J. R. Urbanowski |
| D. Burnett | N. J. Miller | R. Soler | J. F. Wang |
| H. Claus | M. O'Boyle | K.J. Stekr | |
| G. Kruggel | J. E. Roberts | L. W. Tang | |

CONTENTS

| | | |
|------------|--|-----------|
| 1.0 | Introduction and Scope | 1 |
| 1.1 | Introduction | 1 |
| 1.2 | Scope | 1 |
| 2.0 | Definitions and Abbreviations | 1 |
| 2.1 | Definitions | 1 |
| 2.2 | Abbreviations | 2 |
| 3.0 | Types of UV Radiation | 4 |
| 4.0 | Types of GUV Equipment and Systems | 5 |
| 4.1 | GUV Technologies | 5 |
| 4.1.1 | Low-Pressure Mercury (Hg) Lamps | 6 |
| 4.1.2 | Medium-Pressure Mercury Lamps | 6 |
| 4.1.3 | Xenon Lamps | 7 |
| 4.1.4 | Excimer Lamps | 7 |
| 4.1.5 | LEDs | 8 |
| 4.2 | In-Duct Systems – Surface and Air | 8 |
| 4.3 | Upper-Room Systems | 9 |
| 4.4 | Mobile Systems, Including Robots | 9 |
| 4.5 | Handheld Devices | 9 |
| 5.0 | Effects of Ultraviolet Radiation | 10 |
| 5.1 | How UVGI Disables Bacteria and Viruses | 10 |
| 5.2 | Ultraviolet Disinfection Efficacy | 11 |
| 5.3 | Dangers to Humans | 13 |
| 5.3.1 | Source-Specific Hazards | 14 |
| 5.3.2 | The Risk of Skin Cancer | 14 |
| 5.4 | Effects on Paints, Materials, Plants | 15 |
| 6.0 | Design and Use of UVGI Systems for Disinfection Effectiveness | 15 |
| 6.1 | Air Disinfection | 16 |
| 6.2 | Room Surface and Object Disinfection | 17 |
| 7.0 | Maintaining Systems and Verifying Performance | 18 |
| 8.0 | Safety Measures and Restrictions | 19 |
| 8.1 | Safety Rules for Air Disinfection With UVGI | 19 |
| 8.1.1 | All GUV Sources | 19 |
| 8.1.2 | Upper-Room GUV Sources | 19 |

| | | |
|-------------|--|-----------|
| 8.1.3 | AHUs With Internal GUV Sources..... | 21 |
| 8.2 | Safety Rules for Surface Disinfection with GUV..... | 21 |
| 8.3 | Safe Viewing During Room Disinfection..... | 21 |
| 8.4 | Using UVGI in Hospital Tents..... | 22 |
| 8.5 | Use of GUV Equipment in the Home..... | 22 |
| 9.0 | Overview: Systems Comparisons..... | 22 |
| 9.1 | Options and Basis for Application Type..... | 22 |
| 9.2 | Evaluated by Type of Application..... | 22 |
| 9.3 | Evaluated by Type of Pathogen..... | 24 |
| 9.4 | Evaluated by Means of Pathogen Transmission..... | 25 |
| 9.5 | Summary Tables..... | 26 |
| 10.0 | Additional Information..... | 32 |
| | Annex A – Commissioning Upper-Room UV Disinfection Systems..... | 32 |
| | References..... | 34 |

1.0 Introduction and Scope

1.1 Introduction

The 2014 outbreak of the Ebola virus and the recent global spread of the SARS-CoV-2 virus (and its resulting disease, COVID-19) have renewed interest in the use of ultraviolet irradiation for disinfection. UV radiant energy was first used for disinfecting surfaces in 1877,^{1,2} for water in 1910,³ and for air in 1935.⁴ Ultraviolet germicidal irradiation (UVGI)'s use in recent decades has been largely limited in the U.S. to water treatment facilities, applications where it is hidden (shielded) in heating and air-conditioning ductwork, and use in biological laboratories. UVGI is being used in many countries to control airborne transmission of tuberculosis (TB). In addition, some U.S. healthcare facilities are now using autonomous mobile units ("robots") to add enhanced hygiene to patient rooms in order to reduce hospital-acquired infections. More-widespread use of UVGI is often limited by safety concerns, but these are relatively manageable. UVGI related injuries typically resolve within 24 to 48 hours, and potential increased risk for skin cancer is relatively insignificant and minor compared to a true sunburn⁵ and to potential infection prevention. Most of the public are not aware of its unique value in disinfection of air and contaminated surfaces.⁶ More widespread use of UVGI technology in a wide range of applications should be encouraged in the battle against the COVID-19 pandemic, and this is an urgent matter. At the same time there is a longer-term interest at stake, as UVGI technology can be a vital tool in mitigating and preventing many more current and future viruses. COVID-19 will not likely be the last pandemic.

The term *germicidal UV* (GUV) is sometimes used to refer to ultraviolet radiant energy that can be used to inactivate bacteria, protozoa, mold spores, fungi, or viruses. When the process is applied in a given location, it has generally been referred to as ultraviolet germicidal irradiation (UVGI). Because of the public's concern about *ionizing* radiation (e.g., X-rays and gamma rays), the term GUV is sometimes used to avoid needless concerns about a link with that type of radiation, although there are other potential safety concerns (see **Section 5.3**). Another non-technical term is *germicidal light*, although

"light" is usually considered only visible radiation.⁷ Others may refer to the spectral band and term it *germicidal UV-C*.

1.2 Scope

This document addresses the use of germicidal ultraviolet radiation for disinfection of room air and surfaces; potential dangers for humans; potential effects on materials and plants; UVGI technologies; and safety measures and precautions. It does not address photobiological safety with respect to emission or exposure limits; those topics will be addressed in an update to *ANSI/IES RP-27-20, Recommended Practice: Photobiological Safety for Lighting Systems*.⁸

2.0 Definitions and Abbreviations

2.1 Definitions

air changes per hour (ACH): A measure of the clean air volume added to or removed from a space in one hour divided by the volume of the space. Sometimes called air exchange rate.

equivalent air changes per hour (eACH): The number of ACHs that would be needed in order to provide the equivalent inactivation rate of airborne bacteria or viruses using an upper-room UV-C system.

excimer lamp: A discharge source of ultraviolet radiation produced by excited dimer† ("excimer") molecules as they transition to their ground state. The wavelength of UV radiation emitted depends on the type of noble gas, which is, depending on the type of source, combined with a halogen gas. Krypton-chloride excimer (chemical symbol: KrCl*) lamps emit primarily at 222 nm, with lesser emissions at longer UV wavelengths. (The asterisk in the symbol indicates that the molecule is an excimer.)

fluence (radiant fluence): The omnidirectional radiant energy externally incident on an elementary sphere about the point, per unit cross-sectional area

† A dimer is a molecule or molecular complex consisting of two identical molecules linked together.