



ANSI C18.1M, Part 1-2021

Revision of
ANSI C18.1M, Part 1-2015

*American National Standard for
Portable Primary Cells and Batteries with Aqueous Electrolyte—
General and Specifications*

Secretariat:

National Electrical Manufacturers Association

Approved: October 4, 2021

American National Standards Institute, Inc.

NOTICE AND DISCLAIMER

The information in this publication was considered technically sound by the consensus of persons engaged in the development and approval of the document at the time it was developed. Consensus does not necessarily mean that there is unanimous agreement among every person participating in the development of this document.

American National Standards Institute (ANSI) Standards and guideline publications, of which the document contained herein is one, are developed through a voluntary consensus Standards development process. This process brings together volunteers and/or seeks out the views of persons who have an interest in the topic covered by this publication. While NEMA administers the process to promote fairness in the development of consensus, it does not write the document and it does not independently test, evaluate, or verify the accuracy or completeness of any information or the soundness of any judgments contained in its Standards and guideline publications.

NEMA disclaims liability for any personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, application, or reliance on this document. NEMA disclaims and makes no guaranty or warranty, expressed or implied, as to the accuracy or completeness of any information published herein, and disclaims and makes no warranty that the information in this document will fulfill any of your particular purposes or needs. NEMA does not undertake to guarantee the performance of any individual manufacturer or seller's products or services by virtue of this Standard or guide.

In publishing and making this document available, NEMA is not undertaking to render professional or other services for or on behalf of any person or entity, nor is NEMA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. Information and other Standards on the topic covered by this publication may be available from other sources, which the user may wish to consult for additional views or information not covered by this publication.

NEMA has no power, nor does it undertake to police or enforce compliance with the contents of this document. NEMA does not certify, test, or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of compliance with any health- or safety-related information in this document shall not be attributable to NEMA and is solely the responsibility of the certifier or maker of the statement.

AMERICAN NATIONAL STANDARD

Approval of an American National Standard requires verification by the American National Standards Institute that the requirements for due process, consensus, and other criteria for approval have been met by the Standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not, in any respect, preclude anyone, whether they have approved the Standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the Standards.

The American National Standards Institute does not develop Standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this Standard.

Caution Notice: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this Standard. Purchasers of American National Standards may receive current information on all Standards by calling or writing the American National Standards Institute.

Published by

**National Electrical Manufacturers Association
1300 North 17th Street, Rosslyn, VA 22209**

© 2021 National Electrical Manufacturers Association

All rights, including translation into other languages, reserved under the Universal Copyright Convention, the Berne Convention for the Protection of Literary and Artistic Works, and the International and Pan-American Copyright Conventions.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without prior written permission of the publisher.

Printed in the United States of America

< This page intentionally left blank. >

CONTENTS

	Foreword	iv
1	General	1
	1.1 Scope and Purpose.....	1
	1.1.1 Scope	1
	1.1.2 Purpose.....	1
	1.2 Normative References	1
	1.3 Definitions	1
	1.4 Requirements.....	4
	1.4.1 Designations, Chemical Systems, and Voltages	4
	1.4.2 Battery Dimensions	4
	1.4.3 Terminals	6
	1.4.4 General Design Considerations	9
	1.4.5 Test Conditions	9
	1.4.6 Test Requirements.....	9
	1.4.7 Procedures to Check Conformance to a Specified Minimum Average Duration.....	10
	1.4.8 Marking	11
2	Specifications	12
	2.1 Battery Specification Sheet Reference	12
	2.2 Battery Specification Sheets.....	13

Tables

1	Battery Designations for Standardized Electrochemical Systems.....	4
2	Battery Terminals.....	8
3	Test Conditions.....	9
A.1	Example 15 Battery Watt-Hour Values.....	45
A.2	Example 24 Battery Watt-Hour Values.....	45
D.1	Compliance.....	48

Figures

1	Ingestion Gauge.....	3
2A	Round Battery (Protruding Negative).....	6
2B	Round Battery (Recessed Negative)	7
3	Button Battery	7

Annexes (Informative)

A	Methods of Determining Load and Test Conditions.....	44
B	Guidance for Packaging, Handling, Storage, and Transportation	46
C	Reliability Guidelines.....	47
D	Compliance Checklist.....	48
E	Bibliography	49

Foreword (This Foreword is not part of American National Standard C18.1M, Part 1-2021.)

This edition of the *American National Standard for Portable Primary Cells and Batteries with Aqueous Electrolyte* is based in part on the previous *American National Standard for Portable Primary Cells and Batteries with Aqueous Electrolyte—General and Specifications*, ANSI C18.1M, Part 1-2015, and recognizes the work of the International Electrotechnical Commission (refer to IEC Publications 60086-1 and 60086-2) in establishing worldwide standard requirements for portable primary batteries. As with the previous edition, this edition includes the following chemistries:

- a. Carbon zinc (Leclanché and zinc chloride types)
- b. Alkaline manganese dioxide
- c. Silver oxide
- d. Zinc air
- e. Nickel oxyhydroxide

Previous editions of ANSI C18.1M, Part 1 included the terms HIF and LIF, which described specific time periods, i.e., on/off cycles, for load application in portable lighting tests. HIF was an acronym for “heavy industrial flashlight,” and LIF was an acronym for “light industrial flashlight.” Starting with the 2005 edition of C18.1M, Part 1, the HIF and LIF terms were removed and replaced with the actual duty cycle for each test. The term “4 minutes per 15 minutes, 8 hours per day” replaces HIF, and the term “4 minutes per hour, 8 hours per day” replaces LIF.

Modified specifications for this edition include the ANSI 13 (D), 14 (C), 15 (AA), 24 (AAA), 7003Z, and 7005Z (hearing aid) battery types. In addition, the 1179 battery has been deleted from this Standard.

In April 1996, the then-ANSI Accredited Standards Committee C18 on Specifications for Dry Cells and Batteries established a new general format for the publication of its Standards, dividing this Standard into two parts. Part 1 of this *American National Standard for Portable Primary Cells and Batteries with Aqueous Electrolyte* contains two basic sections. The first section has general requirements and information, such as the scope, applicable definitions, general descriptions of battery dimensions, terminal requirements, marking requirements, general design conditions, test conditions, etc. Section 2 of Part 1 is composed of specification sheets for various types of cells and batteries. **Part 2 of the Standard, a separate document, contains safety requirements. In 2012, the committee began work on developing guidance for the inclusion of environmental aspects in batteries. This resulted in the publication of the *American National Standard for Portable Cells and Batteries—Environmental*.**

Suggestions for improvement of this Standard are welcome. They should be sent to:

Secretary, ANSI ASC C18
National Electrical Manufacturers Association
1300 North 17th Street, Suite 900
Rosslyn, VA 22209

This Standard was processed and approved for submittal to ANSI by the Accredited Standards Committee C18 on Portable Cells and Batteries. Committee approval of this Standard does not necessarily imply that all Committee Members voted for its approval. At the time Committee C18 approved this Standard, it had the following Members:

Steven Wicelinski, Chairperson
Marcus Boolish, Vice Chairperson
Khaled Masri, Secretary

First Name	Last Name	Organization	Voting Status	Interest Category
Heather	Peterson	Batteries Plus Bulbs	Voting	Gen. Interest
Jason	Fladhammer	Batteries Plus Bulbs	Alt. Voting	Gen. Interest
David	Grandin	Bureau Veritas Consumer Product Services	Voting	Testing Laboratory
Robert	Coughlin	Consumer Product Integrity Consulting, LLC	Voting	Gen. Interest
Jody	Leber	CSA Group	Voting	Gen. Interest
Steven	Wicelinski	Duracell, Inc.	Voting	Producer
Christopher	Brown	Duracell, Inc.	Alt. Voting	Producer
Marcus	Boolith	Energizer Brands, LLC	Voting	Producer
Carin	Stuart	Energizer Brands, LLC	Alt. Voting	Producer
John	Hadley	Energizer Holdings	Alt. Voting	Producer
Douglas	Golde	Fisher-Price	Voting	User
Thomas	O'Hara	Intertek	Voting	Testing Laboratory
Rich	Byczek	Intertek	Alt. Voting	Testing Laboratory
Melissa	Fensterstock	Landsdowne Labs	Voting	Gen. Interest
Ravi	Vasudevan	Landsdowne Labs	Alt. Voting	Gen. Interest
Elliott	Alexander	Micropower Battery Co.	Voting	User
Earnie	Davis	Panasonic Energy Corporation of America	Voting	User
Jeff	Ortega	Riot Energy, Inc.	Voting	Producer
Rodney	Grimes	SGS North America, Inc.	Voting	Testing Laboratory
Henry	Kessler	Sy Kessler Sales, Inc.	Voting	User
Laurie	Florence	UL LLC	Voting	Testing Laboratory

The Members of Subcommittee C18-1 for Portable Primary Cells and Batteries who contributed to the development of this Standard are as follows:

Steven Wicelinski, Chairperson

Carin Stuart, Vice Chairperson

First Name	Last Name
Elliott	Alexander
Zekarias	Bekele
Marcus	Boolish
Christopher	Brown
Robert	Coughlin
Earnie	Davis
Sharon	Ensminger
Melissa	Fensterstock
Laurie	Florence
Douglas	Golde
David	Grandin
Rodney	Grimes
John	Hadley
Ray	Iveson
Judith	Jeevarajan
Jody	Leber
Thomas	O'Hara
Jeff	Ortega
Heather	Peterson
Carin	Stuart
Ravi	Vasudevan
Steven	Wicelinski

1 General

Note: Part 1 does not include safety requirements. Safety requirements can be found in Part 2.

1.1 Scope and Purpose

1.1.1 Scope

This Standard applies to portable primary cells and batteries with aqueous electrolyte and a zinc anode (non-lithium). This edition includes the following electrochemical systems:

- a. Carbon zinc (Leclanché and zinc chloride types)
- b. Alkaline manganese dioxide
- c. Silver oxide
- d. Zinc air
- e. Nickel oxyhydroxide

1.1.2 Purpose

The purpose of this publication is to:

- a. Ensure the electrical and physical interchangeability of products from different manufacturers
- b. Minimize proliferation of cell and battery types
- c. Define a standard of performance and provide guidance for its assessment
- d. Provide guidance to consumers, manufacturers, and designers

This is achieved by specifying items such as nomenclature, dimensions, polarity, terminals, marking, test conditions, and procedures.

1.2 Normative References

The following Standards contain provisions that, through reference in this text, constitute provisions of this American National Standard. Parties to agreements based on this American National Standard are encouraged to investigate the most recent editions of the Standards indicated below.

ANSI C18.1M, Part 2 *Portable Primary Cells and Batteries with Aqueous Electrolyte—Safety Standard*

ANSI C18.4M *Portable Cells and Batteries—Environmental*

ASME Y14.5 *Dimensioning and Tolerancing*

1.3 Definitions

1.3.1 Anode

Electrode at which an electrochemical oxidation reaction occurs.

1.3.2 Application Test

A test which simulates the actual use of a battery in a specific application.

1.3.3 Battery

One or more cells, including case, terminals, and markings.