



IEC 61196-1-212

Edition 1.0 2021-07

# INTERNATIONAL STANDARD



---

**Coaxial communication cables –  
Part 1-212: Environmental test methods – UV stability**





**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2021 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

**About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

**About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

**IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

**IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

**IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

**IEC online collection - [oc.iec.ch](http://oc.iec.ch)**

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

**Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.



IEC 61196-1-212

Edition 1.0 2021-07

# INTERNATIONAL STANDARD



---

**Coaxial communication cables –  
Part 1-212: Environmental test methods – UV stability**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 33.120.10

ISBN 978-2-8322-9984-5

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references .....	6
3 Terms and definitions .....	7
4 Test methods.....	7
4.1 Test methods for outdoor application .....	7
4.1.1 Method A: xenon arc source .....	7
4.1.2 Method B: fluorescent UV lamp.....	8
4.1.3 Method C: mercury vapour lamp .....	10
4.2 Test methods for indoor application .....	11
4.2.1 Method A: xenon arc source .....	11
4.2.2 Method B: fluorescent UV lamp.....	11
4.2.3 Method C: mercury vapour lamp .....	11
5 Measurements.....	12
5.1 Loss in mechanical properties.....	12
5.1.1 General .....	12
5.1.2 Defined test duration .....	12
5.1.3 Defined loss in property .....	12
5.2 Change in appearance.....	12
5.3 Change in colour.....	12
6 Evaluation of results .....	12
7 Test report.....	13
Annex A (informative) Example of UV test apparatus with mercury vapour lamp source .....	14
Annex B (informative) Guidelines to the interpretation and use .....	16
Bibliography.....	19
Figure A.1 – Vapour mercury test apparatus .....	14
Figure A.2 – Vapour mercury test apparatus – Details of construction.....	15
Table B.1 – Excerpt from MICE table .....	17
Table B.2 – Measurement units and conversion <sup>a</sup> .....	17

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## COAXIAL COMMUNICATION CABLES –

## Part 1-212: Environmental test methods – UV stability

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61196-1-212 has been prepared by subcommittee 46A: Coaxial cables, of IEC technical committee 46: Cables, wires, waveguides, RF connectors, RF and microwave passive components and accessories. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
46A/1452/CDV	46A/1487/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/standardsdev/publications](http://www.iec.ch/standardsdev/publications).

A list of all parts in the IEC 61196 series, published under the general title *Coaxial communication cables*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

UV hazard assessment for synthetic compounds is possible using a number of UV sources. For the purposes of this document, three alternative methods are given.

- 1) Method A uses a xenon arc source to simulate the UV effect on cable sheath. The effect is measured by the variation of mechanical characteristics and/or change in colour after exposure.
- 2) Method B uses a fluorescent lamp to simulate the UV effect on cable sheath. Two different lamps may be used: type I (called UV-A lamps) and type II (called UV-B lamps). The effect is measured, as for method A, by the variation of mechanical characteristics and/or change in colour after exposure.
- 3) Method C uses a mercury vapour lamp to simulate the UV effect on cable sheath. As for methods A and B, the effect is determined by the variation of mechanical characteristics and/or change in colour after exposure. This test has been typically used for telecommunication cables.

For outdoor cable application only, the test specimens are periodically subjected to water attack, for methods A and B. A recent modification of method C now allows for a water immersion cycle.

For method C, the round robin tests made without water (see Annex B) indicate the method may be applicable to outdoor environments.

Other sources and determination methods are capable of detecting and analysing the UV hazard for a cable sheath. Examples of such methods are metal halide lamps or sunshine carbon arc lamps, in combination with proper filters in order to cut off most radiation having wavelengths lower than 290 nm. Contracting parties may agree to use such other methods, but such methods cannot claim conformity to this document. If used, it is recommended that such methods have at least equivalent sensitivity and detection levels as those in this document.

Informative Annex B gives guidelines for the use and interpretation of results.

NOTE It is useful to recall the introduction to ISO 4892-1:2016, which says, "*The relative durability of materials in actual-use exposures can be very different depending on the location of the exposure because of differences in UV radiation, time of wetness, temperature, pollutants and other factors. Therefore, even if results from a specific accelerated laboratory test are found to be useful for comparing the relative durability of materials exposed in a particular outdoor location or in particular actual-use conditions, it cannot be assumed that they will be useful for determining the relative durability of materials exposed in a different outdoor location or in different actual-use conditions.*"

## COAXIAL COMMUNICATION CABLES –

### Part 1-212: Environmental test methods – UV stability

#### 1 Scope

This part of IEC 61196 describes three methods to determine the UV resistance of sheath materials for electric and optical fibre cables. These tests apply for outdoor and indoor cable applications according to the product standard. The samples of sheath are taken from the finished cables.

Although this test method is written principally for communication cables, it can be used for energy cables if called up by the relevant product standard.

Where a sheath is of cross-linked (thermosetting) material, it is recalled that the preparation of moulded plaques is made before crosslinking.

Methods differ by the nature of the UV source.

Due to the excessive time to failure, the methods described are inappropriate to products where UV resistance is conferred by  $\geq 2,0$  % carbon black content meeting the requirements defined in IEC 60708.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60708, *Low-frequency cables with polyolefin insulation and moisture barrier polyolefin sheath*

IEC 60811-202, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 202: General tests – Measurement of thickness of non-metallic sheath*

IEC 60811-501, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 501: Mechanical tests – Tests for determining the mechanical properties of insulating and sheathing compounds*

ISO 4892-1:2016, *Plastics – Methods of exposure to laboratory light sources – Part 1: General guidance*

ISO 4892-2, *Plastics – Methods of exposure to laboratory light sources – Part 2: Xenon-arc lamps*

ISO 9370, *Plastics – Instrumental determination of radiant exposure in weathering tests – General guidance and basic test method*

EN 16472, *Plastics – Method for artificial accelerated photoageing using medium pressure mercury vapour lamps*