



BSI Standards Publication

## Marine energy — Wave, tidal and other water current converters

---

Part 202: Early stage development of tidal energy converters — Best practices and recommended procedures for the testing of pre-prototype scale devices

## National foreword

This Published Document is the UK implementation of IEC TS 62600-202:2022.

The UK participation in its preparation was entrusted to Technical Committee PEL/114, Marine energy - Wave, tidal and other water current converters.

A list of organizations represented on this committee can be obtained on request to its committee manager.

### Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

This publication is not to be regarded as a British Standard.

© The British Standards Institution 2022  
Published by BSI Standards Limited 2022

ISBN 978 0 580 97343 7

ICS 27.140

### **Compliance with a Published Document cannot confer immunity from legal obligations.**

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 May 2022.

### Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

---



# IEC TS 62600-202

Edition 1.0 2022-04

# TECHNICAL SPECIFICATION



---

**Marine energy – Wave, tidal and other water current converters –  
Part 202: Early stage development of tidal energy converters – Best practices  
and recommended procedures for the testing of pre-prototype scale devices**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 27.140

ISBN 978-2-8322-1095-9

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	9
2 Normative references .....	9
3 Terms and definitions .....	10
4 Symbols and abbreviated terms.....	11
5 Staged development approach .....	11
5.1 General.....	11
5.2 Stage 1 .....	14
5.2.1 Scope .....	14
5.2.2 Stage gate.....	14
5.3 Stage 2.....	15
5.3.1 Scope .....	15
5.3.2 Stage gate.....	15
5.4 Stage 3.....	16
5.4.1 Scope .....	16
5.4.2 Stage gate.....	16
6 Test planning.....	17
6.1 TEC similitudes.....	17
6.1.1 General .....	17
6.1.2 Reynolds scaling .....	18
6.1.3 Temperature and salinity effects on Reynolds number .....	21
6.2 Power take off (PTO) similitude.....	21
6.3 Design statement.....	21
6.4 Facility selection and outline plan .....	23
6.4.1 General .....	23
6.4.2 Stage 1 and Stage 2 .....	23
6.4.3 Stage 3.....	25
6.5 Physical model considerations .....	26
6.5.1 General .....	26
6.5.2 Stage 1.....	26
6.5.3 Stage 2.....	27
6.5.4 Stage 3.....	27
6.5.5 Methods for applying torque .....	27
6.5.6 Methods for controlling angular velocity.....	28
6.6 Additional test procedures.....	28
6.6.1 Dry run .....	28
6.6.2 Natural frequency .....	28
6.7 Uncertainties and repeat tests .....	28
7 Reporting requirements .....	29
7.1 Overview.....	29
7.2 General.....	29
7.3 Test conditions and goals .....	29
7.3.1 General .....	29
7.3.2 Facility selection report.....	29
7.3.3 Physical model report .....	30

7.3.4	Measurement procedure report .....	30
7.4	Presentation of results .....	30
8	Data acquisition .....	31
8.1	Signal conditioning .....	31
8.2	Sample rate .....	32
8.3	Analogue to digital conversion and DAQ system .....	32
8.4	Frequency response .....	32
8.5	Data synchronization .....	32
8.6	Data recording .....	33
8.7	Recording of supplementary test data .....	33
8.8	Calibration factors/Physical units .....	33
8.9	Instrument response functions .....	33
8.10	Health monitoring and verification of signals .....	33
8.11	Special data acquisition requirements for Stage 3 open ocean trials .....	34
9	Testing environment characterization .....	34
9.1	General .....	34
9.2	Environmental measurements .....	34
9.3	Inflow/ Onset velocity .....	35
9.3.1	General .....	35
9.3.2	Inferred inflow velocity .....	36
9.3.3	Point measurement .....	36
9.4	Velocity shear profile .....	36
9.4.1	General .....	36
9.4.2	Measuring a velocity shear profile .....	36
9.4.3	Presenting velocity shear profile .....	37
9.5	Wave climate .....	37
9.5.1	General .....	37
9.5.2	Measuring waves .....	38
9.6	Turbulence .....	38
9.6.1	General .....	38
9.6.2	Turbulence intensity .....	38
9.6.3	Integral length and time scales .....	39
9.6.4	Other considerations .....	39
9.7	Temperature, salinity, density and viscosity .....	39
10	Turbine rotor performance characterization .....	39
10.1	Testing goals .....	39
10.2	Performance indicators .....	40
10.2.1	General .....	40
10.2.2	Power, torque and angular velocity .....	40
10.2.3	Turbine rotor drag (thrust) .....	40
10.3	Non-dimensional performance indicators .....	40
10.3.1	General .....	40
10.3.2	Torque performance characterization .....	40
10.3.3	Power performance characterization .....	40
10.3.4	Thrust performance characterization .....	41
10.3.5	Presentation of non-dimensional results .....	41
11	Motions and loads under operational conditions .....	41
11.1	Testing goals .....	41

11.2	Testing similitude .....	41
11.3	Platform motions .....	42
11.4	Local loads, cross-sectional loads and mooring or global loads.....	43
11.5	Test conditions .....	44
11.5.1	Stage 1 and 2 .....	44
11.5.2	Stage 3.....	45
11.5.3	Fatigue measures .....	45
12	Motions and loads under survival conditions .....	45
12.1	Testing goals .....	45
12.2	Testing similitude .....	46
12.3	Signal measurements .....	47
12.4	Environmental Input parameters .....	47
12.4.1	General .....	47
12.4.2	Stage 1 and 2 .....	47
12.4.3	Stage 3.....	48
12.5	Performance indicators .....	48
13	Testing of arrays.....	48
Annex A	(informative) Stage gates .....	49
A.1	General.....	49
A.2	Design statements .....	49
A.3	Stage gate criteria .....	49
A.4	Uncertainty factors.....	50
A.5	Third party review .....	50
Annex B	(informative) Device type .....	51
B.1	General.....	51
B.2	Axial flow turbines.....	51
B.3	Cross-flow turbines .....	51
B.4	Hydrofoil devices .....	52
B.5	Other .....	52
B.5.1	Ducted devices .....	52
B.5.2	Oscillating devices.....	52
B.5.3	Underwater kites.....	52
Annex C	(informative) Facilities selection.....	53
C.1	General.....	53
C.2	Towing tank .....	53
C.3	Re-circulating water channel/flume .....	53
C.4	Open water push test.....	54
C.5	Tidal test site .....	54
C.6	Cavitation tunnel.....	55
C.7	Other facilities.....	55
C.7.1	General .....	55
C.7.2	Other specialized basins and tanks.....	55
C.7.3	Wind tunnel .....	55
C.7.4	Rotating arm facility.....	55
C.8	Facilities comparison .....	55
Annex D	(informative) Instruments .....	57
D.1	General.....	57
D.2	Flow characteristics .....	57

D.2.1	General .....	57
D.2.2	Acoustic techniques .....	57
D.2.3	Optical techniques .....	57
D.2.4	Other techniques .....	58
D.3	Wave measurement .....	58
D.4	Structural characteristics .....	58
D.5	Measurement and control of turbine shaft angular velocity .....	58
D.6	Measuring torque .....	59
D.7	Measuring thrust .....	59
D.8	Mooring force measurement .....	59
D.9	Model motion .....	59
D.9.1	Optical multi camera six degree of freedom measurement system .....	59
D.9.2	Gyroscope, accelerometer, compass, GPS .....	60
	Bibliography .....	61
	Figure 1 – Power and drag (thrust) coefficients for the US Department of Energy’s Reference Model vertical-axis cross-flow turbine (RM2) tested in a towing tank (Bachant <i>et al.</i> 2016) .....	20
	Figure 2 – Effect of Reynolds number on performance – Power (left) and thrust (right) coefficient for reference model RM2 at $\lambda = 3,1$ plotted versus turbine diameter and approximate average turbine blade root chord Reynolds number (Bachant <i>et al.</i> 2016) .....	20
	Figure 3 – Effect of Reynolds number on performance – Power coefficient versus tip speed ratio (left) and power coefficient at $\lambda = 1,9$ plotted versus turbine diameter and approximate average turbine blade root chord Reynolds number (right), both for UNH-RVAT turbine (Bachant and Wosnik 2016) .....	20
	Table 1 – Staged development approach .....	13
	Table 2 – Scaling considerations .....	18
	Table 3 – Presentation of continuously measured indicators .....	31
	Table 4 – Presentation of discrete measured indicators .....	31
	Table 5 – Environmental measurements .....	35
	Table 6 – Instruments suitability for velocity profiling .....	37
	Table 7 – Environmental performance indicators .....	38
	Table 8 – Geometric similitude requirements (operational environments) .....	42
	Table 9 – Structural similitude requirements (operational environments) .....	42
	Table 10 – Kinematic signal measurements (operational environments) .....	43
	Table 11 – Dynamic signal measurements (operational environments) .....	44
	Table 12 – Current parameters for kinematics and dynamics testing (operational conditions) .....	45
	Table 13 – Geometric similitude requirements (survival environments) .....	46
	Table 14 – Structural similitude requirements (survival environments) .....	47
	Table C.1 – Pros and cons of testing in towing tanks .....	53
	Table C.2 – Pros and cons of testing in recirculating water channels/flumes .....	54
	Table C.3 – Pros and cons of open water push tests .....	54
	Table C.4 – Pros and cons of testing at tidal test sites .....	55
	Table C.5 – Comparison of facilities .....	56

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**MARINE ENERGY – WAVE, TIDAL AND OTHER WATER  
CURRENT CONVERTERS –****Part 202: Early stage development of tidal energy converters –  
Best practices and recommended procedures for the  
testing of pre-prototype scale devices**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TS 62600-202 has been prepared by IEC technical committee 114: Marine energy – Wave, tidal and other water current converters. It is a Technical Specification.

The text of this Technical Specification is based on the following documents:

Draft	Report on voting
114/407/DTS	114/414A/RVDTS

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Specification is English.

A list of all parts in the IEC 62600 series, published under the general title *Marine energy – Wave, tidal and other water current converters*, can be found on the IEC website.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/publications](http://www.iec.ch/publications).

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

To further develop the tidal energy industry, Stage Gates, best practices and recommended procedures for the testing of pre-prototype scale devices must be well understood. This document is a collaborative effort from technology developers, academic researchers and test facility managers.

The purpose of this document is to provide a structured approach in testing and evaluating Tidal Energy Converters. By following a standardised design path, risk will be reduced and stakeholder confidence increased. Through best practise guidance and applicable methodologies this document will ensure consistent, appropriate and comparable data is collected for the characterization and analysis required in the development of a Tidal Energy Converter. Furthermore, the reporting procedures will ensure that the results can be replicated by others.

The core of this document follows a Stage Gate approach; for each stage the program of work is outlined and supporting information relating to test planning and reporting presented. The specific recommendations are provided in a holistic manner guiding the process with respect to test planning, reporting requirements, data acquisition, test environment characterization, and characterization of both rotor and device (motion) performance. Annexes provide the reader with further information on facility selection and instrumentation.

The overall goal of this document is to accommodate the majority of technology developers and facilitate a coherent and structured approach that will accelerate the tidal energy sector in fulfilling its market potential as a renewable energy contributor. However, it is recognised that this document will not cover every eventuality that may be relevant for all users. Therefore, this document assumes that the user is familiar with the subject matter and has access to, and reviews relevant literature, including the literature cited herein.

NOTE This document presently does not describe testing under wave-current interaction, effects of turbulence on tidal energy converters beyond a basic introduction to some turbulence parameters typically reported, and quantification of uncertainty which is covered in other referenced documents.

+

## MARINE ENERGY – WAVE, TIDAL AND OTHER WATER CURRENT CONVERTERS –

### Part 202: Early stage development of tidal energy converters – Best practices and recommended procedures for the testing of pre-prototype scale devices

#### 1 Scope

This document specifies the development stages of Tidal Energy Converters up to the pre-prototype scale (Stages 1 to 3). It includes the hydraulic laboratory test programs, where environmental conditions are controlled so they can be scheduled, and the first scaled system open-water trials, where combinations of tidal currents, wind and waves occur naturally and the programs are adjusted and flexible to accommodate these conditions. Full-scale prototype (Stages 4 and 5) development is not covered in this document.

This document describes the minimum test programs that form the basis of a structured technology development schedule. For each testing campaign, the prerequisites, goals and minimum test plans are specified. This document addresses:

- a) Planning an experimental program, including a design statement, technical drawings, selection of scale and facility based on physical laws, site data and other inputs;
- b) Device representation and characterization, including the physical device model, power-take-off components, foundation and mooring arrangements where appropriate;
- c) Energy resource and environment characterization, concerning either the tank testing facility or the open-water deployment site, depending on the stage of development;
- d) Specification of explicit test goals, including power conversion performance and device loads.

Guidance on the measurement sensors and data acquisition packages is included, but not dictated. Providing that the specified parameters and tolerances are adhered to, the device developer is free to select the components and instrumentation.

An important element of testing is to define the limitations and accuracy of the raw data and, more specifically, the results and conclusions drawn from the trials. A methodology of addressing these limitations is presented with each goal so the plan always produces defensible results of defined uncertainty.

It is anticipated that this document will serve a wide audience of tidal energy stakeholders, including device developers and their technical advisors; government agencies and funding councils; test centers and certification bodies; private investors; and environmental regulators and non-governmental organizations.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC TS 62600-1, *Marine energy – Wave, tidal and other water current converters – Part 1: Vocabulary*

IEC TS 62600-101, *Marine energy – Wave, tidal and other water current converters – Part 101: Wave energy resource assessment and characterization*