



BSI Standards Publication

**Organic and organo-mineral fertilizers —
Determination of the biuret content by high-
performance liquid chromatography (HPLC)**

National foreword

This Published Document is the UK implementation of CEN/TS 17765:2022.

The UK participation in its preparation was entrusted to Technical Committee CII/37, Fertilisers and related chemicals.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

This publication is not to be regarded as a British Standard.

© The British Standards Institution 2022
Published by BSI Standards Limited 2022

ISBN 978 0 539 17896 8

ICS 65.080

Compliance with a Published Document cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 30 June 2022.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

TECHNICAL SPECIFICATION
SPÉCIFICATION TECHNIQUE
TECHNISCHE SPEZIFIKATION

CEN/TS 17765

April 2022

ICS 65.080

English Version

**Organic and organo-mineral fertilizers - Determination of
the biuret content by high-performance liquid
chromatography (HPLC)**

Engrais organiques et organo-minéraux -
Détermination de la teneur en biuret

Organische und organisch-mineralische Düngemittel -
Bestimmung des Biuretgehalts

This Technical Specification (CEN/TS) was approved by CEN on 13 March 2022 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents		Page
European foreword		3
Introduction		4
1	Scope	5
2	Normative references	5
3	Terms and definitions	5
4	Principle	5
5	Reagents	5
6	Apparatus	6
7	Procedure	6
7.1	Sampling	6
7.2	Calibration solutions	7
7.3	Preparation of the sample	7
7.4	Extraction of the sample and preparation of the test solution	7
7.5	HPLC conditions	8
7.6	Preparation of the standard curve	8
7.7	Determination of biuret in the test solutions	8
8	Calculations	9
9	Test report	9
Bibliography		10

European foreword

This document (CEN/TS 17765:2022) has been prepared by Technical Committee CEN/TC 260 “Fertilizers and liming materials”, the secretariat of which is held by DIN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association.

Any feedback and questions on this document should be directed to the users’ national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

Regulation (EU) 2019/1009 [4] lays down the rules on the making available on the market of EU fertilizing products and the specific safety and quality requirements for the defined product function categories (PFCs). Organic and organo-mineral fertilizers have been classified as PFC 1(A) and PFC 1(B).

This document defines test methods for the determination of the biuret content to be used for organic and organo-mineral fertilizers in order to measure the compliance with the related requirement in Regulation (EU) 2019/1009 [4].

When heating urea near or above its melting point (132 °C) during the manufacturing of urea, ammonia slowly evolves and several different substances, including biuret, are formed. Excessively high concentrations of biuret can have detrimental effects on plants growth.

1 Scope

This document is applicable to fertilizing products, which are classified as PFC 1(A) and PFC 1(B) or the PFC 1(A) and PFC 1(B) component in PFC 7 of Regulation (EU) 2019/1009 [4]. However, the present method was not validated for blends.

This document specifies a method for the determination of the biuret content by high-performance liquid chromatography (HPLC) with UV detector. The method is applicable to organic and organo-mineral fertilizers containing urea.

Nowadays, there is a method standardized as EN 15479 that allows the determination of biuret in urea by spectrophotometric detection. Organic and organo-mineral fertilizers contain organic matter and other compounds apart from urea that would interfere in a spectrophotometric method. HPLC allows an accurate determination of biuret by separating it from possible interfering compounds [2] [3].

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN ISO 3696:1995, *Water for analytical laboratory use — Specification and test methods (ISO 3696:1987)*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1

biuret

imidodicarbonic diamide

member of the class of condensed ureas

Note 1 to entry: Condensed ureas are the compounds formed by the condensation of two molecules of urea.

4 Principle

The biuret content of the fertilizer sample is extracted with an aqueous acetonitrile solution and separated by reversed-phase liquid chromatography. Detection of peaks is performed using an ultraviolet (UV) detector. Quantification is performed with calibration curve using external standards.

5 Reagents

All water used shall be grade 3 according to EN ISO 3696:1995. All reagents shall be of recognized analytical grade.

5.1 Acetonitrile, HPLC grade, $\geq 99,9$ %.