

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Superconductivity –
Part 22-3: Superconducting strip photon detector – Dark count rate**

**Supraconductivité –
Partie 22-3: Détecteur de photons à bande supraconductrice – Taux de
comptage en obscurité**



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Superconductivity –
Part 22-3: Superconducting strip photon detector – Dark count rate**

**Supraconductivité –
Partie 22-3: Détecteur de photons à bande supraconductrice – Taux de
comptage en obscurité**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.050

ISBN 978-2-8322-4070-0

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	8
2 Normative references	8
3 Terms, definitions and abbreviated terms	8
3.1 Terms and definitions.....	8
3.2 Abbreviated terms.....	10
4 Principle of the measurement method.....	10
5 Apparatus.....	11
5.1 Detector packaging.....	11
5.2 Cryogenic system	11
5.3 Measurement system.....	13
6 Measurement procedure	14
6.1 Measurement of temperature	14
6.2 Measurement of switching current.....	14
6.3 Measurement of R_D	15
7 Standard uncertainty	16
7.1 Type A uncertainty.....	16
7.2 Type B uncertainty.....	16
7.3 Uncertainty budget table	17
7.4 Uncertainty requirement.....	18
8 Test report.....	18
8.1 Identification of device under test (DUT)	18
8.2 Measurement conditions and results	18
8.3 Miscellaneous optional report	19
Annex A (informative) Results of the round robin test.....	20
A.1 DUT packages	20
A.2 Measurement conditions	20
A.3 Measurement results.....	21
Bibliography.....	25
Figure 1 – Example of one dark count pulse in the pulse train in inset	9
Figure 2 – Schematic curve of R_D as a function of normalized bias current.....	11
Figure 3 – Schematic diagram of a typical <i>DCR</i> measurement system.....	12
Figure 4 – Equivalent circuit of the <i>DCR</i> measurement.....	13
Figure 5 – Typical current-voltage (<i>I-U</i>) curve of an SSPD.....	15
Figure A.1 – Photograph of the DUT with an SSPD and a temperature sensor	20
Figure A.2 – <i>I-U</i> curve and R_D curves	22
Table 1 – Uncertainty budget table for R_D	18
Table A.1 – Test data of DUT.....	22
Table A.2 – Temperature sensitivity and bias current sensitivity above a normalized bias current of 0,9.....	23

Table A.3 – u_A and u_B above a normalized bias current of 0,9 23

Table A.4 – Budget table for R_D at a bias point of 5,25 μA ($I_b/I_{SW} = 0,955$) 23

Table A.5 – DCR values measured at a bias point of 5,25 μA ($I_b/I_{SW} = 0,955$) 24

Table A.6 – Temperature measurement 24

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SUPERCONDUCTIVITY –

Part 22-3: Superconducting strip photon detector – Dark count rate

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61788-22-3 has been prepared by IEC technical committee 90: Superconductivity. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
90/489/FDIS	90/491/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 61788 series, published under the general title *Superconductivity*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

IEC 61788-22 (all parts) is a series of International Standards on superconductor electronic devices. Superconductivity enables ultra-sensitive sensing or detection of a variety of measurands. IEC 61788-22-1 [1]¹ lists various types of superconductor sensors and detectors. The strip type in this document is one of them.

A typical fundamental structure of strip type detectors is a meander superconductor line, for example, with a thickness of less than 10 nm, a width of less than 100 nm or a few 100 nm, and a length of a few mm. The structure is in the nanoscale. ISO TS 80004-2:2015 [2] defines the nanoscale as a length range approximately from 1 nm to 100 nm. Because nano-objects have one or two dimensions in the nanoscale, superconductor meander lines are categorized as a nano-object.

The term "nanowire" is frequently used for superconductor meander lines, but it is not recommended in this document. In the ISO vocabulary, a nanowire is defined as an electrically conducting or semi-conducting nanofibre with two external dimensions in the nanoscale, with the third dimension being significantly larger. The two external dimensions of the nanowires are in the nanoscale range, approximately from 1 nm to 100 nm. When the first two dimensions differ significantly, a "nanoplate," "nanoribbon," or "nanotape" shall be used for the meander line shape. However, in the field of electronics, these terms are not common. In addition to the ISO definition of nano-objects, the shape of the superconductor meander lines may not fit the shape of common wires that have a round cross-section. Although there are cases in which a superconductor line shape falls into the category of nanowire (e.g. a superconductor line with a thickness of 10 nm and a width of 100 nm), the theoretical treatment of single photon detection mechanisms still requires "strip" rather than "nanowire": the width is wider than coherence length and thus the superconductor line has a two-dimensional nature. Therefore, IEC 61788-22-1 assigns the word "strip" or "nanostrip" to the meander line shape. According to the nomenclature of the standard, the strip type detector is called superconductor strip photon detector (SSPD) or superconductor nanostrip photon detector (SNSPD). The abbreviated term SSPD is used in this document.

SSPDs are usually cooled down to a temperature well below the critical temperature and current-biased with a bias value close to, but smaller than, its switch current. The photon detection mechanisms can be described by Cooper-pair breaking, leading to hotspot formation or vortex motion, followed by electrothermal feedback creating a resistive region [3], [4]. Although an exact detection model has not been established yet, it is true that photon absorption leads to Cooper pair breaking that creates quasiparticles because the photon energy in a telecommunication wavelength band (~ 1 eV) is typically 2 to 3 orders of magnitude higher than the binding energy of a Cooper pair (\sim meV). The photon absorption may create a normal-conducting local-hotspot in the nanostrip. With an electrothermal feedback process, the normal conducting domain expands across the width of the nanostrip and along the current flow direction, leading to a voltage drop in the superconductor nanostrip. Other possible models are vortex-antivortex depairing, in which two vortices move toward the opposite strip edges, and single vortex crossing. Such vortex motion also creates a voltage drop, which can be followed by resistive domain creation with the same electrothermal feedback mechanism. Because of the resistive domain in the strip, the bias current is diverted to a readout circuit. The normal conducting region will be cooled down rapidly and finally disappear. The above process produces a voltage pulse which corresponds to an event of single photon absorption.

Typical application areas of SSPDs include quantum information, laser communication, light detection and ranging, fluorescence spectroscopy and quantum computing. The SSPDs outperform such single photon detectors as photomultipliers and avalanche photodiodes in performance measures listed in the next paragraph. Due to the increasing needs for ultra-sensitive photon detection in a range of visible to mid-infrared wavelengths, the SSPD market

¹ Figures in square brackets refer to the Bibliography.

is growing quickly. The standardization of SSPDs is beneficial to not only the industrial application, but also detector development.

For photon detection, there are fundamental parameters, such as detection efficiency, timing jitter, dead time and dark count rate. The dark count rate affects the measurement of other parameters. For this reason, priority is given to the dark count rate. This document (IEC 61788-22-3) defines a measurement method of dark count rate (*DCR*).

SUPERCONDUCTIVITY –

Part 22-3: Superconducting strip photon detector – Dark count rate

1 Scope

This part of IEC 61788 is applicable to the measurement of the dark count rate (DCR , R_D) of superconductor strip photon detectors (SSPDs). It specifies terms, definitions, symbols and the measurement method of DCR that depends on the bias current (I_b) and operating temperature (T).

NOTE The data of measurement results in Annex A are based on measurements of one institute only. The standard will be updated after the data of a complete round robin test are available.

2 Normative references

There are no normative references in this document.

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1.1

dark count

count recorded without any incident photon

Note 1 to entry: An example of one dark count is shown in Figure 1. The inset of Figure 1 shows a pulse train of many dark counts, which have the same pulse shape.