



PROCESS
INDUSTRY
PRACTICES

TECHNICAL REVISION
May 2022

Vessels

PIP VESAC001
Air-Cooled Heat Exchanger Specification
(Supplement to API STD 661, 7th Edition)

PURPOSE AND USE OF PROCESS INDUSTRY PRACTICES

In an effort to minimize the cost of process industry facilities, this Practice has been prepared from the technical requirements in the existing standards of major industrial users, contractors, or standards organizations. By harmonizing these technical requirements into a single set of Practices, administrative, application, and engineering costs to both the purchaser and the manufacturer should be reduced. While this Practice is expected to incorporate the majority of requirements of most users, individual applications may involve requirements that will be appended to and take precedence over this Practice. Determinations concerning fitness for purpose and particular matters or application of the Practice to particular project or engineering situations should not be made solely on information contained in these materials. The use of trade names from time to time should not be viewed as an expression of preference but rather recognized as normal usage in the trade. Other brands having the same specifications are equally correct and may be substituted for those named. All Practices or guidelines are intended to be consistent with applicable laws and regulations including OSHA requirements. To the extent these Practices or guidelines should conflict with OSHA or other applicable laws or regulations, such laws or regulations must be followed. Consult an appropriate professional before applying or acting on any material contained in or suggested by the Practice.

This Practice is subject to revision at any time.

© Process Industry Practices (PIP), Construction Industry Institute, The University of Texas at Austin, 3925 West Braker Lane (R4500), Austin, Texas 78759. PIP Member Companies and Subscribers may copy this Practice for their internal use. Changes or modifications of any kind are not permitted within any PIP Practice without the express written authorization of PIP. Authorized Users may attach addenda or overlays to clearly indicate modifications or exceptions to specific sections of PIP Practices. Authorized Users may provide their clients, suppliers and contractors with copies of the Practice solely for Authorized Users' purposes. These purposes include but are not limited to the procurement process (e.g., as attachments to requests for quotation/ purchase orders or requests for proposals/contracts) and preparation and issue of design engineering deliverables for use on a specific project by Authorized User's client. PIP's copyright notices must be clearly indicated and unequivocally incorporated in documents where an Authorized User desires to provide any third party with copies of the Practice.

PUBLISHING HISTORY

March 2012 *Issued*
January 2016 *Editorial Revision*
May 2022 *Technical Revision*

Not printed with State funds



PIP VESAC001 Air-Cooled Heat Exchanger Specification (Supplement to API STD 661, 7th Edition)

Table of Contents

Scope	2	12 Supplemental Requirements	24
Requirements	2	Annex A - Recommended Practices	24
1 Scope	2	Annex F - Quality Overview Plan for Air-Cooled Heat Exchangers	24
2 Normative References	2		
3 Terms and Definitions	4	Data Form	
4 General	5	VESAC001-T – Inspection and Testing Requirements for Air-Cooled Heat Exchangers	
5 Proposals	5		
6 Documentation.....	6		
7 Design.....	8		
8 Materials	20		
9 Fabrication of Tube Bundle	21		
10 Inspection, Examination and Testing	22		
11 Preparation for Shipment.....	23		

Scope

This Practice supplements *API Standard 661*, 7th Edition, July 2013 - Petroleum, Petrochemical, and Natural Gas Industries - Air-cooled Heat Exchangers. Together, this Practice and *API STD 661* provide requirements for an air-cooled heat exchanger.

This Practice and *API STD 661* describe minimum requirements for the design, materials, fabrication, inspection, and testing of air-cooled heat exchangers. This Practice describes additions, modifications, and deletions made to *API STD 661*. In addition, this Practice describes decisions made regarding options offered by *API STD 661*. This Practice supplements, but does not supersede, *API STD 661* and any applicable jurisdictional requirements.

Requirements

The numbering of the following headings and paragraphs in the Requirements section corresponds to the numbering of *API STD 661*, which this Practice supplements. The type of revision (i.e., addition, modification, deletion, or new) made to a specified heading or paragraph is described after the heading or paragraph identification. Provisions of *API STD 661* that are not revised remain in force.

1 Scope

Addition: Supplement as Follows:

Equipment that is part of a self-contained package unit (e.g., jacket water and lube oil coolers, integral radiators, humidified exchangers, or exchangers that are part of air-conditioning equipment) is not included.

2 Normative References

Addition: Supplement as Follows:

Applicable parts of the following Practices, industry codes and standards, and references shall be considered an integral part of this Practice. The edition in effect on the date of contract award shall be used, except as otherwise noted. Short titles are used herein where appropriate.

- a) Process Industry Practices (PIP)
 - 1) PIP VEFV1100[M] *Vessel/S&T Heat Exchanger Standard Details (U.S. Customary Units) [(Metric Units)]*
 - i) PIP VEFV1101[M] *Vessel Nameplate Bracket*
 - ii) PIP VEFV1103[M] *Vessel Grounding Lug*
 - iii) PIP VEFV1129[M] *Vessel Studded Joints*
 - 2) PIP VECV1001 *Design Criteria and Purchasing Requirements for Vessels; ASME Code Section VIII, Divisions 1 and 2*
 - 3) PIP STF05501 *Fixed Ladders Fabrication Details*
 - 4) PIP STF05511 *Standard Stairs Fabrication Details*
 - 5) PIP VESAC001-T *Inspection and Testing Requirements Sheet for Air-Cooled Heat Exchangers*